§421.75

(g) Subpart G—Hard Lead Refining Slag Granulation.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		nds per billion f hard lead
Lead Zinc Total suspended solidspH	.000 .000 .000 (1)	.000 .000 .000 (¹)

¹Within the range of 7.5 to 10.0 at all times.

(h) Subpart G—Hard Lead Refining Wet Air Pollution Control.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of hard lead produced	
Lead Zinc Total suspended solidspH	.000 .000 .000 (1)	.000 .000 .000 (¹)

¹Within the range of 7.5 to 10.0 at all times.

(i) Subpart G—Facility Washdown.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of lead bullior produced	
Lead Zinc Total suspended solidspH	.000 .000 .000 (1)	.000 .000 .000 (¹)

Within the range of 7.5 to 10.0 at all times.

(j) Subpart G-Employee Handwash.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billio pounds) of lead bullio produced	
Lead Zinc Total suspended solidspH	.924 3.366 49.500 (1)	.429 1.386 39.600 (1)

Within the range of 7.5 to 10.0 at all times.

40 CFR Ch. I (7-1-08 Edition)

(k) Subpart G—Respirator Wash.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billio pounds) of lead bullio produced	
Lead Zinc Total suspended solids pH	1.484 5.406 79.500 (1)	.689 2.226 63.600 (1)

Within the range of 7.5 to 10.0 at all times.

(1) Subpart G—Laundering of Uniforms.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billio pounds) of lead bullio produced	
Lead Zinc Total suspended solids pH	4.340 15.810 232.500 (¹)	2.015 6.510 186.000 (¹)

Within the range of 7.5 to 10.0 at all times.

[49 FR 8803, Mar. 8, 1984, as amended at 49 FR 29795, July 24, 1984]

§ 421.75 Pretreatment standards for existing sources.

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works mut comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources. The mass of wastewater pollutants in primary lead process wastewater introduced into a POTW shall not exceed the following values:

(a) Subpart G—Sinter Plant Materials Handling Wet Air Pollution Control.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of sinter produc tion	
Lead Zinc	100.800 367.200	46.800 151.200

Environmental Protection Agency

(b) Subpart G—Blast Furnace Wet Air Pollution Control.

PSES

Pollutant or polluntant property	Maximum for any 1 day Maximum for monthly average	
	mg/kkg (pound per billior pounds) of blas furnance lead bullior produced	
LeadZinc	.000 .000	.000 .000

(c) Subpart G—Blast Furnace Slag Granulation.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pound per billion pounds) of blast furance lead bullion produced	
LeadZinc	.000 .000	.000

(d) Subpart G—Dross Reverberatory Slag Granulation.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of slag, speiss, or matte granulated	
LeadZinc	1,612.000 5,872.000	748.400 2,418.000

(e) Subpart G—Dross Reverberatory Furnance Wet Air Pollution Control.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of dross rever- beratory furnace produc- tion	
LeadZinc	.000 .000	.000

(f) Subpart G—Zinc Fuming Wet Air Pollution Control.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of blast furnace lead bullion produced	
Lead	.000 .000	.000

 $\left(g\right)$ Subpart G—Hard Lead Refining Slag Granulation.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billic pounds) of hard lea produced	
LeadZinc	.000	.000

(h) Subpart G—Hard Lead Refining Wet Air Pollution Control.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of hard lead produced	
LeadZinc	.000	.000

(i) Subpart G—Facility Washdown.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billio pounds) of lead bullio produced.	
LeadZinc	.000 .000	.000

(j) Subpart G—Employee Handwash.

§421.76

40 CFR Ch. I (7-1-08 Edition)

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of lead bullior produced	
Lead	.924	.429
Zinc	3.366	1.386

(k) Subpart G—Respirator Wash.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of lead bullion produced	
Lead Zinc	1.484 5.406	.689 2.226

(l) Subpart G—Laundering of Uniforms.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of lead bullion produced	
Lead	4.340	2.015
Zinc	15.810	6.510

§ 421.76 Pretreatment standards for new sources.

Except as provided in 40 CFR 403.7, any new source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for new sources. The mass of wastewater pollutants in primary lead process wastewaters introduced into a POTW shall not exceed the following values.

(a) Subpart G—Sinter Plant Materials Handling Wet Air Pollution Control.

PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of sinter production	
Lead Zinc	.000 .000	.000 .000

(b) Subpart G—Blast Furnace Wet Air Pollution Control.

PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of blast furnace lead bullion produced	
LeadZinc	.000 .000	.000 .000

(c) Subpart G—Blast Furnace Slag Granulation.

PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billior pounds) of blast furnace lead bullion produced	
LeadZinc	.000 .000	.000

(d) Subpart G—Dross Reverberatory Slag Granulation.

PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kkg (pounds per billion pounds) of slag, speiss or matte granulated	
LeadZinc	.000 .000	.000

(e) Subpart G—Dross Reverberatory Furnace Wet Air Pollution Control.